



401 Columbus Ave
Valhalla NY 10595

**MATERIAL SAFETY DATA SHEET
HAIR CONTROL WAX'S**

Date: June 1999
Emergency Numbers
At Last Naturals Inc
(914) 747-3599

SECTION 1 - Ingredients

Hair Control Waxes consist of a proprietary blend of cosmetic ingredients consisting of Paraffin Wax, Petrolatum Multiwax, Polybutene, and Fragrance

SECTION 2 - Physical Properties

Hair Control waxes appears as a heavy wax substance that has a characteristic odor.

Viscosity @ 55C Spdl 7 at 3 rpm 9500 - 14000 cps

Bolling Point: <212F

Evaporation Rate: NA

Percent Volatile: NA

Solubility in water: Not Soluble

SECTION 3 - Fire and Explosion Information

Flash Point: <200F

Auto Ignition Temp: Unknown

Explosion Limit: Upper - NA Lower - NA

Extinguishing Media: Foam CO2 Dry Chemical Water

Special Fire Fighting Procedures: Must wear proper protective equipment and self contained breathing apparatus.

Cool fire exposed containers with water spray.

Unusual Fire Hazards: Produces carbon dioxide and carbon monoxide when exposed to fire

SECTION 4 - Health Effects Information

This product is considered non-hazardous and safe when used as directed.

Emergency first aid procedures:

Eyes - Flush with plenty of water for 15 minutes. Seek medical attention if irritation develops.

Skin - Flush area of contact with soap and water for several minutes. Seek medical attention if irritation develops.

Ingestion - Do not induce vomiting. Seek medical attention.

SECTION 5 - REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Conditions to Avoid: Unknown

SECTION 6 - Spill and Disposal Information

Caution: Floors will become slippery. Sweep up and contain spilled material, and dispose of in accordance with local and state and federal laws.

SECTION 7 - Personal Protection Information

Ventilation Type: Common air flows. Respiratory Protection: NA

Eye Protection: Goggles should be worn if eye contact is a potential risk.

Protective Gloves: Use Neoprene or rubber when over-exposure is a potential risk.

SECTION 8 - Storage

Keep away from heat due to danger of melting. Recommended warehouse temperature to not exceed 95F